
CS 4884: Computing the Brain Computional Biology and Bioinformatics Capstone Course

January 21 and 23, 2020

T. M. Murali



This course is NOT about neural networks or deep learning.

Course Information

- Meet on Tuesdays and Thursdays, 3:30pm-4:45pm, MCB 238.
- Office hours: by appointment, during class times in second half of semester.
- Course website: http://bioinformatics.cs.vt.edu/~murali/ teaching/2020-spring-cs4884/. Consult this website regularly. Course schedule is subject to change.

Textbook

NO YTROTOMOTYCKS

Fundamentals of

Brain Network Analysis

Alex Fornito, Andrew Zalesky, and Edward Bullmore

Fundamental of fluin Newton Analysis is comprehensive and accordible introduction to reducify for turned fluin resultant in a comprehensive and according from the prospective of parish theory and metood, crient, this book introduces, motivates, and the prospective fluings from intendings of terminol parish methods are from a pair of modes connected by other productions of the property of the control of the property of the control of the property of the prope

"This much neede

to the booksbehres of all neuroscientists interested in the organization and function of nervous systems, from cellular to systems scales*

— Olaf Sports, PhD. Distinguished Professor, Robert H Shaffer Chair, Indiana University

Key Features:

- · Extensively illustrated throughout by graphical representations of key mathematical
- concepts and their practical applications to analyses of nervous systems

 Comprehensively covers graph theoretical analyses of structural and functional brain networks, from microscopic to macroscopic scales, using examples based

on a wide variety of experimental methods in neuroscience

 Designed to inform and empower scientists at all levels of experience, and from any specialist background, wanting to use modern methods of network science to understand the organization of the brain





ACADEMIC PRESS



Fornito Zalesky

^{Fundamentals of} Brain Network Analysis

Fundamentals of

Brain Network Analysis

Alex Fornito, Andrew Zalesky, and Edward Bullmore





















Lectures based on the textbook

- Lectures based on the textbook
- Assignments (2–3)

- Lectures based on the textbook
- Assignments (2–3)
- Final project

- Lectures based on the textbook
- Assignments (2-3)
- Final project
- Participation in VTURCS Research Symposium, late April, 2020.

Grading

• Assignments: 40%

• Final project: 60%

Assignments

- Typically, I will ask you to write code to replicate analysis in one or two figures in the paper.
- These assignments may organically come about from class discussions.
- You will have about two weeks to complete assignments.
- What do you turn in?
 - Fully working code, e.g., on GitHub.
 - A short report on the results of your analysis, including the figures, discussion of difficulties you faced, how you solved them, and observations on your results.

Ungraded Quiz

12pm, Jan 23, 2020.

Please fill out the ungraded quiz released on Canvas. Deadline:

 I will tailor the materials in this courses to your responses as best as I can.

Goals of the Course

Learn computational methods that use network/graph theory to understand the brain at three levels:

Anatomical

Cellular

Molecular

to gain insights into brain functions in health and disease.

History of the Brain: Pre-History

 Trepanation (6500 BC, Incas, Peru): drilling holes in the skull to expose dura mater (outermost layer of the meninges) to treat health problems.



History of the Brain: Pre-History

- Trepanation (6500 BC, Incas, Peru): drilling holes in the skull to expose dura mater (outermost layer of the meninges) to treat health problems.
- Egypt (c. 3000 BC): Aware of symptoms of brain damage, but considered the heart to the repository of memories.




History of the Brain: Pre-History

- Trepanation (6500 BC, Incas, Peru): drilling holes in the skull to expose dura mater (outermost layer of the meninges) to treat health problems.
- Egypt (c. 3000 BC): Aware of symptoms of brain damage, but considered the heart to the repository of memories.
- India (c. 400 BC): Charaka described symptoms and treatments of epilepsy.


Ancient Greece

- Study of the brain was not based on dissection.
- Hippocrates (460–379 BC): Brain is the organ of sensation and intelligence.




Ancient Greece

- Study of the brain was not based on dissection.
- Hippocrates (460–379 BC): Brain is the organ of sensation and intelligence.
- Aristotle (384–322 BC): Heart is the center of intellect.




Ancient Greece

- Study of the brain was not based on dissection.
- Hippocrates (460–379 BC): Brain is the organ of sensation and intelligence.
- Aristotle (384–322 BC): Heart is the center of intellect. Brain is a radiator for cooling blood. Larger brains ⇒ humans are more rational.



Ancient Greece

- Study of the brain was not based on dissection.
- Hippocrates (460–379 BC): Brain is the organ of sensation and intelligence.
- Aristotle (384–322 BC): Heart is the center of intellect. Brain is a radiator for cooling blood. Larger brains ⇒ humans are more rational.
- Herophilus (c. 325-255 BC):
 - ► Father of neuroanatomy, first dissector in the Western tradition.
 - Discovered ventricles, distinguished between cerebrum and cerebellum.




Copyright © 2001 Benjamin Cummings, an imprint of Addison Wesley Longman

Galen (130–200 AD)

- Theories dominated Western and Byzantine medicine till the 16th century.
- Used animal dissections.
- Structure-Function: cerebellum (hard) receives sensations and cerebrum (soft) stores memories.
- The brain is the location of the mind.

Galen (130–200 AD)

- Theories dominated Western and Byzantine medicine till the 16th century.
- Used animal dissections.
- Structure-Function: cerebellum (hard) receives sensations and cerebrum (soft) stores memories.
- The brain is the location of the mind.
- Brain controls senses and motor functions by movement of fluids to and from ventricles through nerves (which are hollow, cf. arteries).




The Next 1300 Years


- Dark Ages in Europe.
- Arabs copied Galen's text among others.
- Islamic surgeon Abu al-Qasim al-Zahrawi (1000 AD) described several treatments for neurological disorders.


Renaissance (14th–16th Centuries)


- Increased recognition of need for dissection to acquire new knowledge about the body's internal organs.
- Printing press (1439 AD) circulated Galen's works.
- Renaissance and Reformation of the Church promoted fresh thinking.
- Dissection resulted in detailed anatomatical drawings.












Leonardo da Vinci (1452–1519)


Andreas Vesalius (1514–1564)

Used skillful dissection of cadavers.



Andreas Vesalius (1514–1564)


- Used skillful dissection of cadavers.
- De humani corporis fabrica:
 Documented and corrected 200 errors
 by Galen.




Andreas Vesalius (1514–1564)

- Used skillful dissection of cadavers.
- De humani corporis fabrica:
 Documented and corrected 200 errors
 by Galen.





Contemporaries and Descendants of Vesalius




Gerardus Mercator




ourse Structure Brain Structure Brain Cells Brain Molecule:

Gerardus Mercator



T. M. Murali January 21 and 23, 2020 Computing the Brain

Gerardus Mercator




Course Structure Brain Structure Brain Cells Brain Molecules

White Matter and Grey Matter (17th–18th centuries)

White matter Generic term for "stuff" that appears white in freshly dissected brain.

Grey matter Generic term for "stuff" that appears grey in a freshly dissected brain.



Course Structure Brain Structure Brain Cells Brain Molecules

White Matter and Grey Matter (17th–18th centuries)

White matter Generic term for "stuff" that appears white in freshly dissected brain.

Grey matter Generic term for "stuff" that appears grey in a freshly dissected brain.



White Matter and Grey Matter (17th–18th centuries)

White matter Generic term for "stuff" that appears white in freshly dissected brain.

Grey matter Generic term for "stuff" that appears grey in a freshly dissected brain.



izquotes.com

Structure to Function

 Broca's area (1861): production of speech and language




Structure to Function

 Broca's area (1861): production of speech and language




Structure to Function

- Broca's area (1861): production of speech and language
- Wernicke's area (1874): comprehension of spoken and written word



Brodmann Areas (1909)


Based on the cytoarchitectural organization of neurons Brodmann observed in the cerebral cortex using Nissl staining.



ourse Structure Brain Structure Brain Cells Brain Molecules

Brodmann Areas (1909)

Based on the cytoarchitectural organization of neurons Brodmann observed in the cerebral cortex using Nissl staining.



Brodmann's cytotechtonic map (1909):

Brodmann's cytotechtonic map (1909): Medial surface urse Structure Brain Structure Brain Cells Brain Molecule

Left and Right Brains (1960s)


- If the two hemispheres of the brain are separated by severing the corpus callosum,
 - information transfer between the hemispheres ceases,
 - an individual has two functionally different brains.





Left and Right Brains (1960s)


- If the two hemispheres of the brain are separated by severing the corpus callosum,
 - information transfer between the hemispheres ceases,
 - an individual has two functionally different brains.
- Left hemisphere: speech, language, arithmetic, analysis.
- Right hemisphere: spatial comprehension, facial recognition, emotion.



ourse Structure Brain Structure Brain Cells Brain Molecules

Left and Right Brains (1960s)

- If the two hemispheres of the brain are separated by severing the corpus callosum,
 - information transfer between the hemispheres ceases,
 - an individual has two functionally different brains.
- Left hemisphere: speech, language, arithmetic, analysis.
- Right hemisphere: spatial comprehension, facial recognition, emotion.
- Roger Sperry received the Nobel Prize in 1981.
 - "The great pleasure and feeling in my right brain is more than my left brain can find the words to tell you."



The New York Times Magazine/September 9,1973

Two astonishingly different persons inhabit our heads

We are left-brained or right-brained

By Maya Pines


Two very different persons inhabit our heads, residing in the left and right hemispheres of our brains, the twin shells that cover the central brain stem. One of them is verbal, analytic, dominant. The other is artistic but mute, and still almost totally mysterious.

This nonspeaking side of the human brain—the right hemisphere—is now the focus of intensive research by brain scientists. This sudden surge of interest is probably no accident at a time when Yoga, Arica, Tibetan exercises and other nonverbal discribines are enjoying such a young Some re-

ample, those concerned with vision—to find their way through a tangle of other nerve fibers, even when obstacles are placed in their path, and somehow connect with the appropriate cells so as to reach specific terminals in the visual cortex. Next, he began to study visual perception and memory. He wanted to find out what happened when an animal learned certain discriminations that involved the visual cortex—when it learned, for instance, to push a panel marked with a circle rather than a square. Where in its brain was that knowledge stored?

He put the question to a young graduate student, suggesting that he investigate how cats that between a circle and a square, knowing that the information they acquired would go to only one hemisphere. When he switched their eye patches to cover their trained eyes, however, the cats performed just as well as before. Their memory of this skill was intact. This meant either that the knowledge was stored in the central brain stem, well below the twin hemispheres, or that the knowledge acquired by one hemisphere had somehow been transmitted to the other.

"Obviously the corpus callosum was the next thing to test," recalls Dr. Myers. "But from the available evidence, cutting it would have no effect. If the surgery is properly done, the animals are





Are You More Right-Brained Or Left-Brained?

Research says it doesn't exist, but let's see where your personality falls.





Check off all that apply:

1. You're better with faces than names.



Parts of the Brain (Now)


The Brain: Structure and Function (Video, 13:55)

ourse Structure Brain Structure Brain Cells Brain Molecules

Automated Parcellation of the Human Brain

< 0

NATURE | ARTICLE



(Video, 2")

Brain Structure to Graphs

	OCCUPITAL											TEMPORAL												Г	PARIETAL.										rmow	
	Tec											Pff			en					870				1												
From:	vı	14	+	۳,	V20	1.	r wor	ve	1	Fat	PITE	┰	PATA	at I	1	σī	- MT	4/7	str	'n	STP	. 77	7	1007	1	+	+	1	7.0	MP	M25	100	74	*	•	
	-	7 :		+	Ŧ	Ŧ	÷	+	··	÷	·	⊢	ŀ	ŀ	⊢	ŀ	ŀ	ŀ	ŀ٠	-	ŀ	ŀ	ŀ	H÷				ŀ٠	+÷	ŀ	ŀ	÷	۱÷	ŀ		
12	ŀ٠	1-	1+	*	٠·	÷.	*	÷.	+	÷	ŀ	⊢	·	ŀ	-	ŀ	ŀ	ŀ	ŀ	⊢		ŀ	ŀ	+	+	+	+	ŀ	+	ŀ	ŀ	ŀ	ŀ	2		
**	<u> +</u>		100	١.,	+	+	ŀ	+	+	+	ŀ	-	ŀ	ŀ	⊢	Ŀ	ŀ	ŀ	ŀ	\vdash	ŀ		Ŀ	+	Ŀ	+	+	+	+	ŀ	ŀ	╄	Ŀ	?		
**	Ŀ	+	+	100	Ŀ	+	+	Ŀ	+	+	Ŀ	╙	Ŀ	Ŀ	┖	Ŀ	ŀ	ŀ	Ŀ	L		1+	Ŀ	+	Ŀ	+	+	_	+	ŀ	Ŀ	┞.	Ŀ	?		
124	+		+	+	Ÿ.	+	L	_	+	+		L		ŀ	1	Ŀ		Ŀ			Ŀ	Ŀ		+	+	+		L	_		Ŀ	+		?		
74	±	+	+	+	+	-	L	+	+	+	+	╙	+	+	┸	+	1.	+	Ŀ	L	Ŀ	+	+				٠	+	Ŀ	Ŀ	ŀ	+	Ŀ	7		
V 01	Ŀ	+	Ŀ	+		+	12			L	٠	L		L			L		L	ш				L		Ш		L	L	L		L	L			
Vet	l+		+	Ŀ	L	+	_	-	+	+		L		L		L				\Box				167	+	+		L		L		L.		1		
MT	+	+	+	+	+	+	Г	+	6	+					Г					Г				+	+	?	+	+	+					+		
FST		104	1+	N83	+	+	Г	+	+	15		+	Г			Г	Ŀ		+	Г	Г	+	Г	+	+			+	+	П	Г	П	+	+		
PITE		1.				+	П	Г		Г		Г	П	Г	T	+	+	+	П	Г	Г		П	П						П	Г		·	Г	1	
РП		П	Г	_		Г	Г	_	Г	+	П	17	Г	Г	Г	Г	Г		П	Г	Г	П		+	П					П	г	П	г	+	9	
т.		Τ.			Γ.	+	г	Г	Π.	П		Г	15	П		+	Г	+		Г	г	П	П						Π.	П	г	П	Π.	Г	1	
DT4		١.			Γ.	+		Г	Π.	П			+	1			+	+					П						Π.	П	П		Γ.		1	
сит	Т	т	т	_	г	т	Т		Г		Т			1		г		Т		\vdash	Н	П	Т					Т	Н	П	г		г	+		
en.		١.			١.	+		П				Т	+	Т	-		+	+	П		Т	П								П	П		ī.	Г	1	
MIN		١.	١.		Ε.	١.		Т		١.		Т	+	Н		+		г	П			П			П					Г.		П	+	+	1	
ND.		١.				+	Т	$\overline{}$		١.	Т	Т	+	Т	1	+	_				Τ.	+	+							п		П	П		1	
TF		١.	Τ.		П	١.	Т		Τ.	+		$\overline{}$	-		+	Т	١.	Т			+	+	+	+	+					П		П	П	+	1	
517	÷	r	H	ì	Ė	H			Ė	r		-	Н	Н	ŕ	Н	r		Н		Ė	Ħ	Ť	Ĥ	Ť		Ť	Ĥ	Ĥ	Н	Ť	Н	+	Ť	1	
		1					П			-	_	_	_	Н	Н		+		+						_				Н	П	П	П	Ė	_	1	
	Ť	i.	+	+	Ė	+	П		Ė	+		т	+	Н		+	+	+	+		+	H	Ť	+	_	Ť	Ť	Ĥ	Ė	Ħ	Ė	П	+	т	1	
De	Ť	i i	Ė	÷	Ĥ	÷	П	Н	Ė	Ė		т	+	Н	+	÷	+	+	+	Н	+		_	Ħ	_	Ť	Ť		Ĥ	Ħ	Ė	П	+	Н	1	
	Ť	+	+	+	+	Ť		+	+	+	_	+	ŕ		H		Ť	ŕ	+	Н	Ť	Н			Ť	+	Ť	+	+	H	Ť	+	÷	+	f	
	H3	÷	÷	÷	÷	÷	_	NE?	+	+		÷		÷	Н	÷	Ť	Ė	+	Н		Н	_	-	-	+		Ť	+	П	Н		797	÷	t	
20	+	ŕ	н	-	Ĥ	÷	-		+	H	-	Ť	H	÷	Н	÷	H	Ĥ	Ĥ	Н		Н	-	+	+		-	+	+	Н	-		+	?	t	
NP.	÷	Н	+	+	Н	÷	-	-	+	H	÷	-	÷	÷	Н	÷	÷	÷	÷	Н	-	÷	÷	-	7	+	201	-	-	\neg	\neg	÷	÷	÷	t	
	4	-	÷		+		-	-1	+	+	÷	-	+	÷	Н	÷	H	•	÷	Н	÷	+	-	+	+	7	-		+	\dashv	\dashv			+	t	
2	÷	Н	÷	4	~	Ť	-	\dashv	+	+	÷	-	-	÷	Н	÷	÷	÷	\dashv	\dashv	+	*	÷			7	-1		Ť	+	\dashv			+	t	
ŀ	÷	Н		-	\dashv	Н	+	\dashv	~	-	÷		÷	-	Н	÷	H	-	\rightarrow	-	-	\dashv	-	~	*	7	-	Ť		-	+		7	-	ł	
m² m²	÷	H	-	4	÷	-	-	\dashv	-	÷	÷	-	-	÷	Н	÷	-	-	\dashv	\dashv	4	\dashv	\dashv	÷	-	+	-	-	\dashv	-1	-			-	ł	
- ŀ	4	÷	-	÷	÷	+	-	-		÷	-	4	-	÷	-	÷	÷	÷	-	-	-	+	+	÷	÷				-	-			+	-	ł	
* -	-	-	-	-	*	*	-	-	-	+	•	-	-	-	-	÷	÷	-	-	-	-	÷						+	-	-	-		+	-		
-	-	-	-			-1	4	-	-	-	-	4	-	-		4	+	-		+	-	*			?	+		+	-	\rightarrow	-	+	4	+	ļ	
				- 1		- 1			•	+1					+		+1		+1					+1	÷١	+1	- 1	+1	+1		- 1	+	+1	٠,	ł	

This state is a connectivity sensit for introsperature between visual cradinal rates in the inseparation for shown details for the connection of the connect

Distributed Hierarchical in the Primate Cerebral Cortex, Daniel J. Felleman and David C. Van Essen, Cereb. Cortex, 1: 1–47, 1991.

purse Structure Brain Structure Brain Cells Brain Molecules

Brain Structure to Graphs

Neuroinformatics

June 2004, Volume 2, Issue 2, pp 145–162

The small world of the cerebral cortex

Olaf Sporns , Jonathan D. Zwi

Review Article

DOI: <u>10.1385/NI:2:2:145</u>

Cite this article as:

Sporns, O. & Zwi, J.D. Neuroinform (2004)

2: 145. doi:<u>10.1385/NI:2:2:145</u>

Distributed Hierarchical in the Primate Cerebral Cortex, Daniel J. Felleman and David C. Van Essen, Cereb. Cortex, 1: 1–47, 1991.

The small world of the cerebral cortex. Olaf Sporns, Jonathan D. Zwi, Neuroinformatics, 2: 145–162, 2004.

Course Structure Brain Structure Brain Cells Brain Molecules

Cells in the Brain (Late 19th and early 20th Century)

Course Structure Brain Structure Brain Cells Brain Molecules

Cells in the Brain (Late 19th and early 20th Century)

Cell theory: Cell is the fundamental unit of all living organisms (Video, 1:40")

 Brain is an exception: complex cell shapes, extensive branching, and dense packing. ourse Structure Brain Structure Brain Cells Brain Molecules

Cells in the Brain (Late 19th and early 20th Century)

- Brain is an exception: complex cell shapes, extensive branching, and dense packing.
- How many neurons in the brain?


Cells in the Brain (Late 19th and early 20th Century)

- Brain is an exception: complex cell shapes, extensive branching, and dense packing.
- How many neurons in the brain?
 100 billion and many more glial cells.

ourse Structure Brain Structure Brain Cells Brain Molecules

Cells in the Brain (Late 19th and early 20th Century)


- Brain is an exception: complex cell shapes, extensive branching, and dense packing.
- How many neurons in the brain?
 100 billion and many more glial cells.
- Golgi and Nissl stains: allowed cells to be visualised and traced under the microscope.
- Cajal: catalogued many different types of nerve cells.



ourse Structure Brain Structure Brain Cells Brain Molecules

Cells in the Brain (Late 19th and early 20th Century)

- Brain is an exception: complex cell shapes, extensive branching, and dense packing.
- How many neurons in the brain?
 100 billion and many more glial cells.
- Golgi and Nissl stains: allowed cells to be visualised and traced under the microscope.
- Cajal: catalogued many different types of nerve cells.



Reticular Theory vs. Neuron Doctrine

- "Neuron" coined by Waldeyer in 1891.
- In 1896, Rudolph Albert von Kolliker coined the term "axon" to describe the long slender cables that transmit signals away from cell bodies.
- In 1889, William His used "dendrites" to name the thin branching fibers that ferry signals toward the cell body.

Reticular Theory vs. Neuron Doctrine

- "Neuron" coined by Waldeyer in 1891.
- In 1896, Rudolph Albert von Kolliker coined the term "axon" to describe the long slender cables that transmit signals away from cell bodies.
- In 1889, William His used "dendrites" to name the thin branching fibers that ferry signals toward the cell body.

Reticular theory Nerve cells are fused to each other to form a continuous network, much like blood vessels (Golgi)


Neuron doctrine Nerve cells are discrete entities that communicate by specialised contacts (Cajal and Sherrington)

Reticular Theory vs. Neuron Doctrine

- "Neuron" coined by Waldeyer in 1891.
- In 1896, Rudolph Albert von Kolliker coined the term "axon" to describe the long slender cables that transmit signals away from cell bodies.
- In 1889, William His used "dendrites" to name the thin branching fibers that ferry signals toward the cell body.
- Reticular theory Nerve cells are fused to each other to form a continuous network, much like blood vessels (Golgi)
- Neuron doctrine Nerve cells are discrete entities that communicate by specialised contacts (Cajal and Sherrington)
 - Both Golgi and Cajal received the Nobel prize in Physiology or Medicine in 1906.

urse Structure Brain Structure Brain Cells Brain Molecules

Cells in the Brain



Ferris Jabr, Scientific American, May 14, 2012

Cells in the Brain

Types of Brain Cells (Video, 18:54")

Types of Neurons

- 100s of types of neurons, differentiated by structure, function, genetics ...
- neuromorpho.org: archive of digitally reconstructed neurons.

Welcome to NeuroLex, the Neuroscience Lexicon.

A dynamic lexicon of 34,533 neuroscience terms, including 754 neurons and 1303 parts of the nervous system supported by The Neuroscience Information Framework and the International Neuroinformatics Coordinating Facility

ourse Structure Brain Structure Brain Cells Brain Molecules

Types of Neurons




Princeton researchers crowdsource brain mapping with gamers, discover six new neuron types

Liz Fuller-Wright, Office of Communications May 17, 2018 11 a.m. By turning a time-intensive research problem into an interactive game, princeton neuroscientist Sebastian Seung has built an unprecedented data set of neurons, which he is now turning over to the public via the Syewire Museum. These 27 retian leurons, mapped by Syewire gamers, include ganglion cell types in blue and green and amacrine cells in yellow lands for Alex Notron. Evenire Course Structure Brain Structure Brain Cells Brain Molecules

White Matter and Grey Matter (17th–18th centuries)

White matter Generic term for "stuff" that appears white in freshly dissected brain.


Grey matter Generic term for "stuff" that appears grey in a freshly dissected brain.



White Matter and Grey Matter (17th–18th centuries)

White matter Generic term for "stuff" a collection of axons, which appear white in freshly dissected brain.

Grey matter Generic term for "stuff" a collection of neuronal cell bodies, which appear grey in a freshly dissected brain.



Brain Structure to Graphs

- Diffusion tensor imaging.
- Tracking white matter (axon) bundles to connect voxels.
- Massive graphs: 15M nodes, 50M edges.





Research on largest network of cortical neurons to date published in Nature

Robust network of connections between neurons performing similar tasks shows fundamentals of how brain circuits are wired

March 28, 2016 | Download PDF

Even the simplest networks of neurons in the brain are composed of millions of connections, and examining these vast networks is critical to understanding how the brain works. An international team of researchers, led by R. Clay Reid, Wei Chung Allen Lee and Vincent Bonin from the Allen Institute for Brain Science, Harvard Medical School and Neuro-Electronics Research Flanders (NERF), respectively, has published the largest network to date of connections between neurons in the cortex, where high-level processing occurs, and have revealed several crucial elements of how networks in the brain are organized. The results are published this week in the journal *Auture*.





Space-time wiring specificity supports direction selectivity in the retina, Kim et al., Nature, 509:331-336, 2014.



Space-time wiring specificity supports direction selectivity in the retina, Kim et al., Nature, 509:331-336, 2014.



SCIENCE 81.22.2828 11:88 AM


The Most Complete Brain Map Ever Is Here: A Fly's 'Connectome'

It took 12 years and at least \$40 million to chart a region about 250 micrometers across—about the thickness of two strands of hair.

SUBSCRIBE

ourse Structure Brain Structure Brain Cells Brain Molecule:

Cellular Communication: Neuron Firing




Neuron, YouTube, 11:20" Neuron, YouTube, 5:14"


- Galvani showed that electric stimulation of sciatic nerve causes muscles in frog legs to twitch (1780).
- How do nerves communicate with muscles: electricity or chemicals?




- Galvani showed that electric stimulation of sciatic nerve causes muscles in frog legs to twitch (1780).
- How do nerves communicate with muscles: electricity or chemicals?
- Loewi settled this question through his discovery of vagusstoff (1921).





- Galvani showed that electric stimulation of sciatic nerve causes muscles in frog legs to twitch (1780).
- How do nerves communicate with muscles: electricity or chemicals?
- Loewi settled this question through his discovery of *vagusstoff* (1921).






- Galvani showed that electric stimulation of sciatic nerve causes muscles in frog legs to twitch (1780).
- How do nerves communicate with muscles: electricity or chemicals?
- Loewi settled this question through his discovery of vagusstoff (1921).
- Later identified as acetylcholine, which had been discovered in 1914 by Sir Henry Dale. The first neurotransmitter.
- Loewi and Dale received the Nobel Prize in 1936.






Neurotransmitters

(A) LIFE CYCLE OF NEUROTRANSMITTER



Neurotransmitters



Diffusion and degradation

Neurotransmitters

TABLE 47-1

Neurotransmitters and Their Relationship to Mental Disorders

NEUROTRANSMITTER	PHYSIOLOGIC EFFECTS	RELATIONSHIP TO MENTAL DISORDERS
Acetylcholine	Sleep/wake cycle. Signals muscles to become active.	Decreased in Alzheimer's and Parkinson's diseases.
Dopamine	Controls complex movements, cognition, motivation, and pleasure. Regulates emotional responses.	Increased in schizophrenia and mania. Decreased in depression and Parkinson's.
Norepinephrine	Affects attention, learning, memory, and regulation of mood, sleep, and wakefulness.	Decreased in depression. Increased in schizophrenia, mania, and anxiety.
Serotonin	Affects sleep and wakefulness, especially falling asleep. Affects mood and thought processes.	Probably plays a role in thought disorders of schizophrenia. Decreased in depression. Possibly decreased in anxiety and obsessive- compulsive disorder.
Gamma-aminobutyric acid (GABA)	Amino acid that modulates other neurotransmitters.	Decreased in anxiety and schizophrenia.

ourse Structure Brain Structure Brain Cells Brain Molecule

Rita Levi-Montalcini (1909–2012)

- M.D. at University of Turin (1936).
- Lost her job due to laws barring Jews (1938).
- Secret lab in bedroom to study nerve growth in chicken embryos (WWII).



Rita Levi-Montalcini (1909–2012)

- M.D. at University of Turin (1936).
- Lost her job due to laws barring Jews (1938).
- Secret lab in bedroom to study nerve growth in chicken embryos (WWII).
- Received one-semester research fellowship at WUSTL (1946).
- Isolated nerve growth factor (NGF) by observing that cancerous tissues caused extremely rapid growth of nerve cells in chicken embryos (1952). First growth factor discovered.



ourse Structure Brain Structure Brain Cells Brain Molecules


Rita Levi-Montalcini (1909–2012)

- M.D. at University of Turin (1936).
- Lost her job due to laws barring Jews (1938).
- Secret lab in bedroom to study nerve growth in chicken embryos (WWII).
- Received one-semester research fellowship at WUSTL (1946).
- Isolated nerve growth factor (NGF) by observing that cancerous tissues caused extremely rapid growth of nerve cells in chicken embryos (1952). First growth factor discovered.
- Received Nobel prize (with Stanley Cohen, 1986).



ourse Structure Brain Structure Brain Cells Brain Molecule


Cellular Communication: Hunger Response



www.barbellmedicine.com


urse Structure Brain Structure Brain Cells Brain Molecules

Cellular Response to External Signals



Hanahan and Wienberg. Hallmarks of cancer: the next generation. Cell, 2011.

A Cell is Like




Viability Circuits

A Cell is Like





A Cell is Like facebook




urse Structure Brain Structure Brain Cells <mark>Brain Molecule</mark>s

Network is Complex






Network is Complex but Very Poorly Understood



urse Structure Brain Structure Brain Cells Brain Molecule

Network is Complex but Very Poorly Understood



Survey Results

What are the most important things you expect from this course? You can select multiple options. If your choice does not appear, please add it in your answer to the final question.

Learn about the structure of the brain	16 respondents	64 [%]	~
Learn graph algorithms	16 respondents	64 %	
Work on a software project	19 respondents	76 [%]	
Learn how to work collaboratively in a team	11 respondents	44 %	
Study and present research papers	9 respondents	36 [%]	

Survey Results

Have you taken a capstone class before?

True		0 %	\checkmark
False	25 respondents	100 %	

Have you taken "Data and Algorithm Analysis" (CS 4104)?

I have taken it an earlier semester.	5 respondents	20 %	-
I am taking it this semester.	4 respondents	16 %	
I have not taken it yet.	16 respondents	64 %	

- Interested to see how computer science and neuroscience mesh together.
- Very excited to learn more about the brain. Get out of my comfort zone.

- Interested to see how computer science and neuroscience mesh together.
- Very excited to learn more about the brain. Get out of my comfort zone.
- Excited to work on a semester long project and present it at the end.
 Very much looking forward to seeing the projects.
- Not taken the prerequisite, so I am a little worried about the projects.
- How computationally heavy is this course compared to other computer science capstones?

- Interested to see how computer science and neuroscience mesh together.
- Very excited to learn more about the brain. Get out of my comfort zone.
- Excited to work on a semester long project and present it at the end.
 Very much looking forward to seeing the projects.
- Not taken the prerequisite, so I am a little worried about the projects.
- How computationally heavy is this course compared to other computer science capstones?
- Videos are a good visual way. 2x speed is good. Please keep them at most 5 minutes long.
- Break up the long class times with in-class activities.

- Interested to see how computer science and neuroscience mesh together.
- Very excited to learn more about the brain. Get out of my comfort zone.
- Excited to work on a semester long project and present it at the end.
 Very much looking forward to seeing the projects.
- Not taken the prerequisite, so I am a little worried about the projects.
- How computationally heavy is this course compared to other computer science capstones?
- Videos are a good visual way. 2x speed is good. Please keep them at most 5 minutes long.
- Break up the long class times with in-class activities.
- I am open to whatever this class throws at me, ready to hopefully take it all in and learn a lot of really cool things.

- Designed with the following goals in mind:
 - You will almost always work collaboratively.
 - You will often be called upon to learn independently from multiple sources (life-long learning).

- Designed with the following goals in mind:
 - You will almost always work collaboratively.
 - You will often be called upon to learn independently from multiple sources (life-long learning).
- Lectures by me based on the textbook: till spring break
- I will also teach relevant algorithms.

- Designed with the following goals in mind:
 - You will almost always work collaboratively.
 - ▶ You will often be called upon to learn independently from multiple sources (life-long learning).
- Lectures by me based on the textbook: till spring break
- I will also teach relevant algorithms.
- Assignments (2–3): till spring break, project warm-ups, 40% of grade.

- Designed with the following goals in mind:
 - You will almost always work collaboratively.
 - You will often be called upon to learn independently from multiple sources (life-long learning).
- Lectures by me based on the textbook: till spring break
- I will also teach relevant algorithms.
- Assignments (2–3): till spring break, project warm-ups, 40% of grade.
- Group software project: described and assigned by mid-February, 60% of grade.

- Designed with the following goals in mind:
 - You will almost always work collaboratively.
 - You will often be called upon to learn independently from multiple sources (life-long learning).
- Lectures by me based on the textbook: till spring break
- I will also teach relevant algorithms.
- Assignments (2–3): till spring break, project warm-ups, 40% of grade.
- Group software project: described and assigned by mid-February, 60% of grade.
- After spring break, use classroom times and additional times as office hours.
- I will give detailed feedback on software projects.
- I will help you prepare the poster for the VTURCS Symposium.